




## *RAIN WATER* **GRILLS**

**MERT DÖKÜM®**

**MERT®**

[www.mertdokum.com](http://www.mertdokum.com)

# TRAFFIC LOAD CLASSES



**MERT**<sup>®</sup>

Load Type	En 124	Load	Description
	A15	15kN	Surfaces used by two-wheeled vehicles and pedestrians, areas or green areas
	B125	125kN	For parking floors or pavements, especially for vehicles
	C250	250kN	Surfaces, areas and kerbs used by two-wheeled vehicles and pedestrians
	D400	400kN	Parking areas for all vehicles, motorways and roadsides
	E600	600kN	Industrial plants and harbours closed to the public, especially those exposed to heavy loads
	F900	900kN	Surfaces exposed to high wheel loads, especially in airports and harbour areas



55±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®


## M 110 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 55±3Kg

**Lock:** Easy Lock



## M 110 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



71±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®


## M 113 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 71±3Kg

**Lock:** Easy Lock



## M 113 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



72±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®


## M 113.37 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 72±3Kg

**Lock:** Easy Lock



## M 113.37 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



45±3



GGG 50



200°



C250

MERT DÖKÜM®

MERT®

## M 140 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** C250

**Weight:** 45±3Kg

**Lock:** Manual Lock



## M 140 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



30±2



GGG 50



200°



C250

MERT DÖKÜM®

MERT®

## M 142 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** C250

**Weight:** 30±3Kg

**Lock:** Manual Lock



## M 142 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



55±3



GGG 50



120°



D400

MERT DÖKÜM®

MERT®

## M 120 RAIN WATER GRILL

**Material:** GGG 50



**Load Class:** D400

**Weight:** 55±3Kg

**Lock:** Manual Lock



## M 120 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



87±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®

## M 191.33 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 87±3Kg

**Lock:** n/a



## M 191.33 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



53±3



GGG 50



115°



C250

MERT DÖKÜM®

MERT®

## M 1400 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** C250

**Weight:** 53±3Kg

**Lock:** Manual Lock



## M 1400 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



98±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®


## M 1115 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 98±3Kg

**Lock:** Easy Lock



## M 1115 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



50,3±3



GGG 50



200°



D400

MERT DÖKÜM®

MERT®

## M 1162 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 50,3±3Kg

**Lock:** Easy Lock



## M 1162 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)



27±3



GGG 50



Full



D400

MERT DÖKÜM®

MERT®

## M 1198 RAIN WATER GRILL

**Material:** GGG 50


**Load Class:** D400

**Weight:** 27±3Kg

**Lock:** n/a




## M 1198 RAIN WATER GRILL DIMENSIONS



[www.mertdokum.com](http://www.mertdokum.com)

# CONCRETE CHANNEL RAIN WATER GRILLS



Code	Load	Material	External Dimensions	Weight
M130	D400	GGG50	125x500x35mm	7±1kg
M131	D400	GGG50	150x500x35mm	8±1kg
M132	D400	GGG50	200x500x35mm	10±1kg
M132A	C250	GGG50	200x500x20mm	7±1kg
M133	D400	GGG50	250x500x35mm	11±1kg
M134	D400	GGG50	300x500x35mm	14±1kg
M135	D400	GGG50	300x500x35mm	14±1kg
M1138	D400	GGG50	375x500x45mm	21±2kg
M135.0007	E600	GGG50	350x500x35mm	36±3kg
M136	D400	GGG50	400x500x45mm	23±2kg
M136A	C250	GGG50	400x500x45mm	19±1kg
M137	D400	GGG50	450x500x45mm	25±2kg
M138	C250	GGG50	500x500x45mm	27±2kg
M138A	C250	GGG50	500x500x45mm	23±2kg
M138C	F900	GGG50	500x500x45mm	44±3kg
M1137	D400	GGG50	575x500x45mm	38±3kg
M138B	D400	GGG50	600x500x45mm	32±3kg
M139	D400	GGG50	650x500x45mm	40±3kg
M1388	D400	GGG50	590x500x45mm	34±3kg
M1389	D400	GGG50	690x500x45mm	41±3kg
M1390	D400	GGG50	840x500x45mm	59±3kg
M1370	D400	GGG50	590x590x45mm	52±3kg
M1370A	D400	GGG50	990x500x45mm	76±3kg
STD200P	D400	GGG50	750x200x30mm	14±1kg
STD250P	D400	GGG50	750x250x30mm	16±1kg
STD300P	D400	GGG50	750x300x30mm	18±2kg
STD400P	D400	GGG50	750x400x30mm	30±2kg



**MERT DÖKÜM®**

**MERT®**





**MERT DÖKÜM®**

**HEAD OFFICE:**

İMES Sanayi, 203. Sk. No:13  
D:Sitesi,B Blok, 34776  
Ümraniye/İstanbul, Türkiye

**MERT®**

**PHONE NUMBER:**

+(90) 216 313 4308

**EMAIL:**

export@mertdokum.com.tr

**[www.mertdokum.com](http://www.mertdokum.com)**